

REFERENCES

- [1] S. Cuk and R. D. Minddlebrook, "A General Unified Approach to Modeling Switching-Converter Power Stages," *IEEE Power Electronics Specialists Conf.*, 1976.
- [2] Y. Ye, "Modeling, Control and Implementation of Three-Phase PWM Converters," *IEEE Trans. on Power Electron.*, Vol. 18, No. 3, May. 2003, pp. 857-864.
- [3] S. B. Han, N. S. Choi, C. T. Rim, and G. H. Cho, "Modeling and Analysis of Static and Dynamic Characteristics for Buck-Type Three-Phase PWM Rectifier by Circuit DQ Transformation," *IEEE Trans. on Power Electron.*, Vol. 13, No. 2, Mar. 1998, pp. 323-336.
- [4] J. D. Gandoy and C. M. Penalver, "Dynamic and Steady State Analysis of a Three-Phase Buck Rectifier," *IEEE Trans. on Power Electron.*, Vol. 15, No. 6, Nov. 2000, pp. 953-959.
- [5] O. Ojo and I. Bhat, "Analysis of Three Phase PWM Buck Rectifier Under Modulation Magnitude and Angle Control," *IEEE IAS Conf. Rec.*, 1993, pp. 917-925.
- [6] Y. Ye, M. Kazerani and V. H. Quintana, "A Novel Modeling and Control Method for Three-Phase PWM converters," *Power Electronics Specialists Conference, 2001. PESC. IEEE 32nd Annual*, Vol. 1, 17-21 Jun. 2001, pp. 102 – 107.
- [7] T. S. Lee, "Lagrangian Modeling and Passivity-Based Control of Three-Phase AC/DC Voltage-Source Converters," *IEEE Trans. Ind. Electron.*, Vol. 52, No. 4, Aug. 2004, pp. 892-902.
- [8] J. J. Rico, M. Madrigal and E. Acha, "Dynamic Harmonic Evolution Using the Extended Harmonic Domain," *IEEE Trans. on Power Delivery*, Vol. 18, No. 2, Apr. 2003, pp. 587-594.
- [9] M. A. Moreno and J. Usaola, "Frequency Domain Method for Analysis of VSI-PWM Converters, Using Neural Networks," *Harmonics And Quality of Power, 1998. Proceedings. 8th International Conference on* Vol. 1, 14-16 Oct.

- 1998, pp. 54-59.
- [10] P. N. Enjeti and P. D. Ziogas, "Analysis of A Static Power Converter Under Unbalance: A New Approach," *IEEE Trans. Ind. Electron.*, Vol. 37, No. 1, Feb. 1990, pp. 91-93.
- [11] M. T. Bina and D. C. Hamill, "Average Circuit Model for Angle-Controlled STATCOM," *IEE Proc.-Electr. Power Appl.*, Vol. 152, No. 3, May 2005.
- [12] M. Pande and S. B. Dewan, "Modeling and Dynamic Analysis of A Fast Response Three Phase PWM Voltage Source Rectifier," *Electrical and Computer Engineering*, IEEE Canadian Conference on Vol. 2, May 1998, pp. 24-28.
- [13] V. F. Pires and A. Silva, "Teaching Nonlinear Modeling, Simulation, and Control of Electronic Power Converters Using MATLAB/SIMULINK," *IEEE Trans. on Education*, Vol. 45, No. 3, Aug. 2002, pp. 253-261.
- [14] B. K. Lee and M. Ehsani, "A Simplified Functional Simulation Model for Three-Phase Voltage-Source Inverter Using Switching Function Concept," *IEEE Trans. Ind. Electron.*, Vol. 48, NO. 2, pp. 309-321, Apr. 2001.
- [15] P. D. Ziogas, E. P. Wiechmann, and V. R. Stefanovic, "A Computer-Aided Analysis and Design Approach for Static Voltage Source Inverter," *IEEE Trans. on Ind. Applicat.*, Vol. IA-21, pp. 1234-1241, Sept./Oct. 1985.
- [16] E. P. Wiechmann, P. D. Ziogas, and V. R. Stefanovic, "Generalized Functional Model for Three Phase PWM Inverter/Rectifier Converters," in *Conf. Rec. IEE-IAS Annu. Meeting*, 1985, pp. 984-993.
- [17] F. S. Kang, K. Y. Rhee, S. J. Park and C. J. Moon, "New Approach for Cascaded-Transformers-Based Multilevel Inverter with An Efficient Switching Function," *The 30th Annu. Conf. of IEEE*, 29, Jun. 1992, pp 405-413.
- [18] V. A. Katic and D. Graovac, "A Method for PWM Rectifier Line Side Filter Optimization in Transient and Steady States," *IEEE Trans. on Power Electron.*, Vol. 17, No. 3, May 2002, pp. 342-352.
- [19] Y. F. Chen, S. S. Qiu and M. Long, "Nonlinear Large-Signal Modeling of PWM DC-DC Switching Converters," *Communications, Circuits and Systems*,

- ICCCAS*, International Conference on Vol. 2, 27-29 June 2004, pp. (s):1507 – 1510.
- [20] H. Takano, T. Domoto, T. Hatakeyma, and N. Nakaoka, “A Generic Computer-Aided Simulation Approach for Digitally-Controlled Switching Mode Power Converter Circuits and Systems,” *IEE Power Electronics and Variable Speed Drives*, Conference Publication No. 429, 23-25 Sept. 1996, pp. 483-489.
- [21] L. Salazar and G. Joos, “PSPICE Simulation of Three-Phase Inverters By Means of Switching Functions,” *IEEE Trans. Power Electron.*, Vol. 9, pp. 35-42, Jan. 1994.
- [22] Berkeley University. SPICE MANUAL. Available:
from bwrc.eecs.Berkeley.edu/Courses/IcBook/SPICE/MANUALS.
- [23] University of Pennsylvania, Department of Electrical Engineering. SPICE-A Brief Overview. SPICE User’s Guide. Available:
<http://www.seas.upenn.edu/~jan/spice/spice.overview.html>.
- [24] Intusoft. Better design through simulation. Available: <http://www.intusoft.com>.
- [25] N. Mohan, “Power electronics: Computer simulation, analysis and education using Pspice,” Minnesota Power Electronics Research & Education, 1992.
- [26] Pspice.com. Design community in action. Available: <http://www.pspice.com>.
- [27] SABER. Saber mixed-signal simulator. Available:
<http://www.analog.com/products/simulation/simulation.htm#Saber>.
- [28] CASPOC. A simulation odyssey. Available: <http://www.caspoc.com>.
- [29] SEMEC Corporation. Simplorer simulation system. Available:
<http://www.simplorer.com>.
- [30] Mathworks. Available:
<http://www.mathworks.com/access/helpdesk/help/techdoc/relnotes/powersys.html>.
- [31] G. Moleykutty and L. S. Chan, “Modeling and control of zero-sequence current of parallel three-phase converters using Matlab/power system blockset,” *Power Systems Conference and Exposition, IEEE PES* Vol. 3, Oct. 2004, pp.1440-1443.

- [32] K. Smedley and S. Cuk, "Switching Flow-Graph Nonlinear Modeling Technique," *IEEE Trans. on Power Electron.*, Vol. 9, No. 4, Jul. 1994, pp. 405-413.
- [33] Y. Ma and K. Smedley, "Switching Flow-Graph Nonlinear Modeling Method for Multi-state Switching Converter," *IEEE Trans. on Power Electron.*, Vol. 12, No. 5, Sep. 1997, pp 854-861.
- [34] K. Smedley and S. Cuk, "Switching Flow-Graph Nonlinear Modeling Technique," *PESC '92. The 23rd Annu. IEEE*, 29, Jun. 1992, pp 405-413.
- [35] Y. Ma and K. Smedley, "Switching Flow Graph Nonlinear Modeling Method for Multi-state Switching Converter," *APEC'96. Conf. Proc. Eleven Annu*, 1996.
- [36] E. M. Guiotto and K. Smedley, "Switching Flow-Graph Nonlinear Model of Active Power Filters," *IECON'03. The 29th Annu. Conf. of the IEEE*, Vol. 2, Nov. 2003.
- [37] L. C. Liao, T. L. Jong, and C. T. Pan, "Extension of Switching Flow-Graph Modeling To Single-Phase DC-to-AC Converters," *The 23rd Electrical Power Engineering Symposium*, Nov. 2002, R.O.C.
- [38] L. C. Liao, T. L. Jong, and C. T. Pan, "Extended Switching Flow-Graph Model for Three-Phase PWM Inverter Including Dead-Time Effect," *The 24th Electrical Power Engineering Symposium*, Nov. 2003, R.O.C.
- [39] B. C. Kuo, *Automatic Control Systems*. Prentice Hall, Inc., 1991.
- [40] N. Mohan, T. M. Undeland, and W. P. Robbins, *Power Electronics: Converters, Applications and Design*, John Wiley & Sons, Inc., 1989.
- [41] M. H. Rashid, *Power Electronics Circuits, Devices, and Applications*. Englewood Cliffs, NJ: Prentice-Hall, 1993.
- [42] L. C. Liao, C. T. Pan, and T. L. Jong, "The Switching Flow-Graph Modeling Technique for Three-Phase PWM Inverters," *IEEE Trans. Ind. Electron*, 2005. (Accepted).

- [43] J. L. Lin, "A New Approach of Dead-Time Compensation for PWM Voltage Inverters," *IEEE Trans. on Circuit and Syst. I, Fundem. Theory and Appl.*, Vol. 49, No. 4, Apr. 2002, pp 476-483.
- [44] C. T. Pan and J. H. Liaw, "A New Field-Weakening Control Strategy for Surface-Mounted Permanent-Magnet Motor Drives," *IEEE Trans. on Energy Conversion*, 2005. (Accepted)
- [45] P. Vas, *Vector Control of AC Machines*, New York: Oxford University Press, 1990.
- [46] L. Harnefors and H. P. Nee, "Model-Based Current Control of AC Machines Using the Internal Model Control Method", *IEEE Trans. on Ind. Applicat.*, Vol. 34, NO. 1, pp. 133-141, Jan./Feb. 1998.
- [47] I. L. Chien and P. S. Fruehauf, "Consider IMC Tuning to Improve Controller Performance," *Chem. Eng. Progress*, Vol.86, No. 10, Oct. 1990, pp. 33-41.

