

參考文獻

- 王昱人。 1997 。台灣鉤吻鮭與日本櫻花鉤吻鮭遺傳多樣性之研究，國立清華大學生物資訊與結構生物研究所碩士論文， 65 頁。
- 孔曉瑜、喻子牛、劉亞軍、高天翔、武雲飛。 2001 。中華絨螯蟹與日本絨螯蟹粒線體 COI 基因片段的序列比較研究，青島海洋大學學報， 31(6)： 861~866 。
- 李孟仙、曾輝。 2000 。合浦絨螯蟹 *Eriocheir hepuensis* 的形態學研究。浙江海洋學院學報（自然科學版）。 19(4)： 327~332 。
- 李春生。 1989 。大陸與台灣的地理淵源，台灣動物地理淵源研討會專集， 1~11 。
- 李思發、鄒曙明。 1999 。中國大陸沿海六水系絨螯蟹（中華絨螯蟹和日本絨螯蟹）群體親緣關係：RAPD 指紋標記。水產學報。 23(4)： 325~330 。
- 李榮祥。 2001 。台灣賞蟹情報，大樹文化， 174 頁。
- 李錦地、郭錦洛、王松賓。 1977 。以底棲大型無脊椎動物及魚類之群落變異指數和指標生物評估台灣河川水質，台灣省水污染防治所研究報告， 1： 1~44 。
- 周明鎮、張彌曼、陳宜瑜、朱敏。 1996 。隔離分化生物地理學譯文集，中國大百科全書出版社， 326 頁。
- 林宏都。 1998 。台灣地區台灣鏟頰魚族群遺傳結構之研究，國立台灣師範大學生物研究所碩士論文， 95 頁。
- 林朝榮、周瑞燉。 1974 。台灣地質，台灣省文獻委員會， 450 頁。
- 邱高峰、徐巧婷、王麗卿、范崢、陳雪菁。 2001 。四種絨螯蟹分子分類與系統發育，動物學報， 47(6)： 640~647 。
- 施習德。 2002 。甲殼類的分子生態學，科學月刊， 388： 307~314 。

- 施雅風、崔之久、李吉均。1989。中國東部第四紀冰川與環境問題，450 頁。
- 柳楮。1966。台灣松柏類植物地理之研究，林業試驗所報告，122：1~33。
- 柳楮。1989。台灣生物地理概說，台灣動物地理淵源研討會專集，13~23。
- 洪明仕。1993。南澳南溪直額絨螯蟹族群動態及生物學之研究，國立海洋大學漁業學系碩士論文，67 頁。
- 洪龍華。2002。利用細胞核核糖體 DNA 基因之 ITS 序列和轉譯延長因子重建台灣沼緣蜉蝣 (*Cloeon marginale* Hagen) 的親緣地理，國立成功大學生物學研究所碩士論文，73 頁。
- 胡忠恆。1995。台灣地質概論，台灣貝類化石誌第四卷第十九冊，112 頁。
- 唐伯平。2000。絨螯蟹屬的分子系統發生學。南京師範大學理學博士學位論文。99 頁。
- 高天翔、任一平、張秀梅。2000。日本絨螯蟹粒線體 DNA 序列研究 II. 16S rRNA，青島海洋大學學報，30(3)：482-486。
- 高天翔、張秀梅、樓東、張軍生。1999。日本絨螯蟹太平洋群體和日本海群體 12S rRNA 序列比較研究。浙江海洋學院學報（自然科學版）。18(4)：275~278。
- 高志千、周開亞。1998。中華絨螯蟹遺傳變異的 RAPD 分析。生物多樣性。6(3)：186~190。
- 孫紅英、王光躍、張代臻、周開亞。2005。中華絨螯蟹與合浦絨螯蟹兩地理亞種的線粒體 DNA 序列變異。動物學報。51(5)：862~866。
- 孫紅英、周開亞、陳健健、楊光。2002。中國大陸絨螯蟹線粒體 16S rRNA 序列變異與分子鑑定標記。自然科學進展。12(5)：485~490。

- 孫紅英、周開亞、楊小軍。 2003 。從線粒體 16S rRNA 序列探討絨螯蟹類的系統發生關係，動物學報， 49 (5)： 593 ~ 599 。
- 殷秀琴、侯威嶺、李貞。 2004 。生物地理學，高等教育出版社， 374 頁。
- 許桂菁、蔡昆展、邵廣昭、王建平、林弘都。 2005 。大眼華鰱親緣地理與族群遺傳結構之研究，生物學報， 40 (2)： 58 ~ 67 。
- 許桂菁。 2007 。後冰河時期南中國中華花鰱 (*Cobitis sinensis*) 之遷移路徑，國立成功大學生物學研究所博士論文， 134 頁。
- 莊士鋒。 2003 。以分子遺傳探討台灣產岩瓷蟹類之類緣關係，國立中山大學海洋資源研究所碩士論文， 118 頁。
- 陳正祥。 1957 。氣候之分類與分區，台灣大學林業叢刊第 7 號， 174 頁。
- 陳均輝。 1998 。太魯閣國家公園砂卡礑溪台灣絨螯蟹之生物學研究，國立海洋大學海洋生物研究所碩士論文， 55 頁。
- 陳溫柔、施志昀、鄭金華、徐芝敏。 2001 。高屏地區水系之淡水蟹類，自然保育季刊， 36： 42 ~ 47 。
- 陳蕙蓮、孫海寶。 2002 。中國動物志無脊椎動物第三十卷節肢動物門甲殼動物亞門短尾次目海洋低等蟹類，科學出版社， 597 頁。
- 堵南山。 2002 。關於絨螯蟹屬的分類，水產科技情報， 29 (1)： 10 ~ 12 。
- 黃世彬。 2005 。中國韓江流域吻鰕虎魚 (*Rhinogobius*) 的分類研究，國立屏東科技大學野生動物保育研究所碩士論文， 85 頁。
- 黃鈞漢。 2003 。以 mtDNA D-loop 探討艾氏樹蛙 (溪頭地區) 之族群遺傳結構，國立彰化師範大學生物學系碩士論文， 64 頁。
- 劉名允。 2006 。沼蝦屬分子系統分類及台灣的粗糙沼蝦親緣地理和族群遺傳探討，國立清華大學生物資訊與結構生物研究所博士論文，

73 頁。

詹存勇、楊穎堅、林勝豐。 1996 。黑潮於台灣東北海域的季节性入侵，
國科會海洋研究計畫成果發表會論文摘要集， 13 ~ 19 頁。

鄭光膺。 1991 。黃海第四紀地質，科學出版社， 179 頁。

鄭明修。 1998 。墾丁國家公園的 — 蝦兵蟹將，墾丁國家公園管理處
員工消費合作社， 133 頁。

鄭清海、林鴻仁、王美鳳、詹見平。 1998 。賞蟹之旅 — 台中縣海邊
常見的螃蟹，台中縣永安國民小學， 92 頁。

賴弘智、施志昀、游祥平。 1986 。室內孵化之日本絨螯蟹（*Eriocheir japonica* De Haan）幼苗變態研究，台灣水產學會刊， 13（2）： 12 ~ 21 。

賴景陽。 1989 。台灣的哺乳動物化石紀錄，台灣動物地理淵源研討會
專集， 25 ~ 48 。

蕭程友。 2007 。台灣絨螯蟹（*Eriocheir formosa*）遺傳多樣性之研究，
國立清華大學生物資訊與結構生物研究所碩士論文， 57 頁。

薛攀文。 2000 。蟹類大眼幼蟲在潮水誘發之返岸運送中的回歸模式研
究報告。國科會研究報告 NSC89-2611-B005-002 。

戴愛雲、楊思諒、宋玉枝、陳國孝。 1986 。中國海洋蟹類，海洋出版
社， 642 頁。

戴愛雲。 1988 。絨螯蟹屬支序分類學的初步分析，動物分類學報， 13
（1）： 22 ~ 26 。

Awise, J. C., J. Arnold, R. M. Ball, E. Bermingham, T. Lamb, J. E. Neigel, C.
A. Reed and N. C. Saunderson. 1987. Intraspecific phylogeography: the
mitochondrial DNA bridge between population genetics and systematics.
Annual Review of Ecology and Systematics. 18: 489-522.

Awise, J. C. 1989. Gene trees and phylogenetic approach to population biology.

- Evolution. 43: 1192-1208.
- Avice, J. C. 1994. Molecular markers, natural history and evolution. Sinauer Associates. Chapman and Hall. New York. 684 pages.
- Bermingham, E. and A. P. Martin. 1998. Comparative mtDNA phylogeography of neotropical freshwater fish: testing shared history of infer the evolutionary landscape of lower Central America. Molecular Evolution. 7: 499-517.
- Bernatchez, L. and C. C. Wilson. 1998. Comparative phylogeography of Nearctic and Palearctic fishes. Molecular Ecology. 7: 431-452.
- Brown, R. P., R. S. Thorpe and M. Baez. 1991. Parallel within-island microevolution of lizard on neighbouring island. Nature. 352: 60-62.
- Brown, J. H. and M. V. Lomolino. 1998. Biogeography. Sinauer Associates. Sunderland. Massachusetts. 845 pages.
- Bruyn, M. D., J. C. Wilson and P. B. Mather. 2004. Reconciling geography and genealogy: phylogeography of giant freshwater prawns from the Lake Carpentaria region. Molecular Ecology. 13: 3515-3526.
- Bucklin, A., B. W. Frost, J. Bradford-Grieve, L. D. Allen and N. J. Copley. 2003. Molecular systematic and phylogenetic assessment of 34 calanoid copepod species of the Calanidae and Clausocalanidae. Marine Biology. 142: 333-343.
- Byrne, R. 1980. Man and the variable vulnerability of island life: a study of recent vegetation change in the Bahamas. Atoll Research. Washington. 200 pages.
- Cassone, B. J. and E. G. Boulding. 2006. Genetic structure and phylogeography of the line shore crab, *Pachygrapsus crassipes*, along the northeastern and western Pacific coasts. Marine biology. 149: 213-226.
- Castilla, A. M., V. Fernández-pedrosa, T. Backeljau, A. González, A. Latorre

- and A. Moya. 1998. Conservation genetics of insular *Podarcis* lizards using partial cytochrome b sequences. *Molecular Ecology*. 7: 1407-1411.
- Chan, T. Y., M. S. Hung and H. P. Yu. 1995. Identity of *Eriocheir recta* (Stimpson, 1958) (Decapoda: Brachyura), with description of a new mitten crab from Taiwan. *Journal of Crustacean Biology*. 15(2): 301-308.
- Chu, K. H., J. G. Tong and T. Y. Chan. 1999. Mitochondrial cytochrome oxidase I sequence divergence in some Chinese species of *Charybdis* (Crustacea: Decapoda: Portunidae). *Biochemical Systematics and Ecology*. 27(5): 461-468.
- Chu, K. H., H. Y. Ho, C. P. Li and T. Y. Chan. 2003. Molecular phylogenetics of the mitten crab species in *Eriocheir, sensu lata* (Brachyura: Grapsidae). *Journal of Crustacean Biology*. 23(3): 738-746.
- Clark, P. F., I. M. A. Sahib and M. S. A. Asadi. 2006. The first record of *Eriocheir sinensis* H. Milne Edward, 1853 (Crustacea: Brachyura: Varunidae) from the Basrah Area of Southern Iraq. *Aquatic Invasions*. 1(2): 51-54.
- Crandall, K. A. and J. F. Fitzpatrick, Jr. 1996. Crayfish molecular systematics: using a combination of procedures to estimate phylogeny. *Systematic Biology*. 45(1): 1-26.
- Dai, A. Y. 1991. Studies on the subspecies differentiation of the genus *Eriocheir* (Decapoda: Brachyura). *Science Treat System Evolution Zoology*. 1: 61-71.
- Daniels, S. R., B. A. Stewart and P. A. Cook. 2002. Congruent patterns of genetic variation in a burrowing freshwater crab revealed by allozymes and mt DNA sequence analysis. *Hydrobiologia*. 468: 171-179.
- Daniels, S. R. 2003. Examining the genetic structure among populations of the common cape river crab *Potamonautes perlatus* from river systems in south Africa reveals hydrographic boundaries. *Journal of Crustacean*

- Biology. 23(4): 936-950.
- DeVries, M. C. and R. B. Forward. 1989. Rhythms in larval release of the sublittoral crab *Neopanope sayi* and the supralittoral crab *Sesarma cinereum* (Decapoda: Brachyura) . Marine Biology. 100: 241-248.
- Dayton, D. A. 1982. Replication of animal mitochondrial DNA. Cell. 28: 693-705.
- Douglas, M. R., P. C. Brunner and M. E. Douglas. 2003. Drought in an evolutionary context: molecular variability in Flannelmouth Sucker (*Catostomus latipinnis*) from the Colorado River Basin of western North America. Freshwater Biology. 48: 1254-1273.
- Erik, G. M., D. Nicole, O. S. Mario, M. Jean-Claude and M. Monique. 1993. Mitochondrial 16S-rRNA gene of two species of shrimps: sequence variability and secondary structure. Crustaceana. 65(3): 279-286.
- Excoffier, L. 1993. Analysis of molecular variance. Version 1.55. Genetics and Biometry Laboratory, University of Geneva.
- Excoffier, L. and P. E. Smouse. 1994. Using allele frequencies and geographic subdivision to reconstruct gene trees within a species: molecular variance parsimony. Genetics. 136: 343-359.
- Excoffier, L., P. E. Smouse and J. M. Quattro. 1992. Analysis of molecular variance inferred from metric distances among DNA haplotypes: application to human mitochondrial DNA restriction data. Genetics. 131: 479-491.
- Felsenstein, J. 1985. Confidence limits on phylogenies: an approach using the bootstrap. Evolution. 39: 783-791.
- Fu, X. Y. and W. H. Li. 1993. Statical tests of neutrality of mutations. Genetics. 133: 693-709.
- Futuyma, D. J. 1997. Evolutionary biology. Sinauer Associates. NewYork. 763 pages.

Futuyma, D. J. 2005. Evolution. Sinauer Associates. New York. 543 pages.

García-Rodríguez, F. J. and R. Perez-Enriquez. 2006. Genetic differentiation of the California spiny lobster *Panulirus interruptus* (Randall, 1840) along the coast of the Baja California Peninsula, Mexico. Marine Biology. 148: 621-629.

Grant, W. and B. W. Bowen. 1998. Shallow population histories in deep evolutionary lineages of marine fishes: insights from sardines and anchovies and lessons for conservation. Journal of Heredity. 89: 415-426.

Guo, J. Y., N. K. Ng, A. Y. Dai and P. K. L. Ng. 1997. The taxonomy of three commercially important species of mitten crabs of the genus *Eriocheir* (de Haan 1835) (Crustacea: Decapoda: Brachyura: Grapsidae). The Raffles Bulletin of Zoology. 45(2): 445-476.

Harrison, M. K. and B. J. Crespi. 1999. Phylogenetics of *Cancer* crabs (Crustacea: Decapoda: Brachyura). Molecular Phylogenetics and Evolution. 12(2): 186-199.

Harrison, J. S. 2004. Evolution, biogeography, and the utility of mitochondrial 16S and COI genes in phylogenetic analysis of the crab genus *Austinia* (Decapoda: Pinnotheridae). Molecular Phylogenetics and Evolution. 30: 743-754.

Hashimoto, M. 1899. Geology of Japan. Springer. Tokyo. 300 pages.

Herborg, L. M., M. G. Bentley, A. S. Clare and K. S. Last. 2006. Mating behaviour and chemical communication in the invasive Chinese mitten crab *Eriocheir sinensis*. Journal of Experimental Marine Biology and Ecology. 329: 1-10.

Hey, J. and R. Nielsen. 2004. Multilocus methods for estimating population sizes, migration rates and divergence time, with applications to the divergence of *Drosophila pseudoobscura* and *D. persimilis*. Genetics. 167: 747-760.

- Hillis, D. M. and J. J. Bull. 1993. An empirical test of bootstrapping as a method assessing confidence in phylogenetic analysis. *System Biology*. 41: 182-192.
- Ho, P. H., H. P. Yu and P. K. L. Ng. 2001. The Indo-Pacific Pilumnidae XIV. On a new species of *Actumnus* (Crustacea: Decapoda: Brachyura) from Taiwan. *Proceedings of the Biological society of Washington*. 114(1): 145-151.
- Hudson, R. R., M. Slatkin and W. P. Maddison. 1992. Estimation of levels of gene flow from DNA sequence data. *Genetics*. 132: 583-589.
- Jukes, T. H. and C. R. Cantor. 1969. Evolution of protein molecules. In: *Mammalian Protein Metabolism* (ed. Munro HN). Academic Press. New York. 31-132.
- Kawane, M., K. Wada, J. Kitaura and K. Watanabe. 2005. Taxonomic re-examination of the two camptandriid crab species *Deriatonotus japonicus* (Sakai, 1934) and *D. tondensis* Sakai, 1983, and genetic differentiation among their local populations. *Journal of Natural History*. 39(45): 3903-3918.
- Khoo J. 2007. Finding the new species of *Macrobrachium* by using mitochondrial DNA and morphology. *Institute of Bioinformatics and Structural Biology*. 58 pages.
- Kimura, M. 1980. A simple method for estimating evolutionary rates of base substitutions through comparative studies of nucleotide sequences. *Journal of Molecular Evolution*. 16: 111-120.
- Kimura, T., I. Hayami and S. Yoshida. 1991. *Geology of Japan*. University of Tokyo Press. Tokyo. 320 pages.
- Kobayashi, S. and S. Matsuura. 1995. Population structure of the Japanese mitten crab *Eriocheir japonicus* De Haan – clinal variations in size of maturity. *Crustacean Research*. 24: 128-136.

- Kobayashi, S. 1999. Dimorphism in adult male Japanese mitten crab *Eriocheir japonica* De Haan . Crustacean Research. 28: 24-36
- Komai, T., I. Yamasaki, S. Kobayashi, T. Yamamoto and S. Watanabe. 2006. *Eriocheir ogasawaraensis* Komai, a new species of mitten crab (Crustacea: Decapoda: Brachyura: Varunidae) from the Ogasawaea Island, Japan, with note on the systematics of *Eriocheir* De Haan, 1835. Zootaxa. 1168: 1-20.
- Kumar, S. K., I. B. Tamura and N. M. Jakobsen. 2001. MEGA2: molecular evolutionary genetic analysis software. Bioinformatics. 17: 1244-1245.
- Lee, J. W., L. Jiang, Y. C. Su and I. M. Tso. 2004. Is central mountain range a geographic barrier to the giant wood spider *Nephila pilipes* (Araneae : Tetragnathidae) in Taiwan? A population genetic approach. Zoological Studies. 43(1): 112-122.
- Lee, T. H., N. Naitoh and F. Yamazaki. 2004. Chromosome studies on the mitten crabs *Eriocheir japonica* and *E. sinensis*. Fisheries Science. 70: 211-214.
- Li, W. H. and A. Zharkikh. 1995. A statistical test of DNA phylogenies. Systematic Biology. 44: 49-63.
- Lin, S. M., C. A. Chen and K. Y. Lue. 2002. Molecular phylogeny and biogeography of the grass lizards genus *Takydromus* (Reptilia: Lacertidae) of East Asia. Molecular Phylogenetics and Evolution. 22(2): 276-288.
- Lu, R. H., T. Qiu, C. M. Xiang, H. Xie and J. Zhang. 2000. RAPD and AFLP techniques for the analysis of genetic relationships in two genera of Decapoda. Crustaceana. 73(9): 1027-1036.
- Lynch, M. and T. J. Crease. 1990. The analysis of population survey data on DNA sequence variation. Molecular Biology and Evolution. 7: 377-394.
- Mantelatto, F. L., R. Robles and D. L. Felder. 2007. Molecular phylogeny of the western Atlantic species of the genus *Portunus* (Crustacea,

- Brachyura, Portunidae). Zoological Journal of the Linnean Society. 150: 211-220.
- Moritz, C. 1994. Defining 'Evolution Significant Units' for conservation. Tree. 9(10): 373-375.
- Mortiz, C. 1995. Uses of molecular phylogenies for conservation. Philosophical Transactions: Biological Sciences. 349(1327): 113-118.
- Nelson, G. and N. Platnick. 1984. Biogeography. Carolina Biology Readers. 119: 1-20.
- Nei, M. and F. Tajima. 1983. Maximum likelihood estimation of the number of nucleotide substitution from restriction site data. Genetics. 105: 207-217.
- Nei, M. 1987. Molecular evolutionary genetics. Columbia University Press. New York. 512 pages.
- Nei, M. and J. C. Miller. 1990. A simple method for estimating average number of nucleotide substitutions within and between populations from restriction data. Genetics. 125: 873-879.
- Nei, M. and S. Kumar. 2000. Molecular evolution and phylogenetics. Oxford University Press. New York. 333 pages.
- Ng, N. K., J. Y. Guo and P. K. L. Ng. 1999. Genetic affinities of *Eriocheir leptognathus* and *E. formosa* with description of a new genus (Brachyura: Grapsidae: Varuninae). Journal of Crustacean Biology. 19: 154-170.
- Ogoh, K. and Y. Ohmiya. 2005. Biogeography of luminous marine ostracod driven irreversibly by the Japan current. Molecular Biology and Evolution. 22(7): 1543-1545.
- Okimoto, R., J. L. Macfarlane, D. O. Clay and D. R. Wolstenholm. 1992. The mitochondrial genomes of two nematodes *Caenorhabditis elegans* and *Ascaris suum*. Genetics. 130: 471-498.

- Paetkau, D. 1999. Using genetics to identify intraspecific conservation unit: a critique of current methods. *Conservation Biology*. 13(6): 1507-1509.
- Page, R. D. M. and E. C. Holmes. 1998. *Molecular evolution: A phylogenetic approach*. United Kingdom University Press. Cambridge. 352 pages.
- Peng, W. H. 1986. Preliminary study on the problem of variation of *Eriocheir sinensis* in Zhujiang River valley. *Information of Fisheries Science and Technology*. 2: 19-22.
- Pierce J. C., G. Tan and P. M. Gaffney. 2000. Delaware Bay and Chesapeake Bay populations of the horseshoe crab *Limulus polyphemus* are genetically distinct. *Estuaries*. 23(5): 690-698.
- Remerie, T., T. Bourgois, D. Peelaers, A. Vierstraete, J. Vanfleteren and A. Vanreusel. 2006. Phylogeographic patterns of the mysid *Mesopodopsis slabberi* (Crustacea, Mysida) in Western Europe: evidence for high molecular diversity and cryptic speciation. *Marine Biology*. 149: 465-481.
- Robbins, R. S., M. Sakari, S. N. Baluchi and P. F. Clark. 2006. The occurrence of *Eriocheir sinensis* H. Milne Edwards, 1853 (Crustacea: Brachyura: Varunidae) from the Caspian Sea region, Iran. *Aquatic Invasions*. 1(1): 32-34.
- Roman, J. and S. R. Palumbi. 2004. A global invader at home: populations structure of the green crab, *Carcinus maenas*, in Europe. *Molecular Ecology*. 13: 2891-2898.
- Rozas, J. and R. Rozas. 1999. DnaSP version 3.0: an integrated program for molecular population genetics and molecular evolution analysis. *Bioinformatics*. 15: 174-175.
- Saitou, N. and M. Nei. 1987. The neighbor-joining method: a new method for reconstructing phylogenetic trees. *Molecular Biology and Evolution*. 4: 406-425.

- Sakai, T. 1983. Description of new genera and species of Japanese crab, together with systematically and biogeographically interesting species. *Researches on Crustacea*. 12: 1-44.
- Schmidt, D. and J. Pool. 2002. The effect of population history on the distribution of the Tajima's D statistic. Cornell University Press. New York.
- Schubart, C. D., R. Diesel and S. B. Hedges. 1998. Rapid evolution to terrestrial life in Jamaican crabs. *Nature*. 393: 363-365.
- Schubart, C. D., J. E. Neigel and D. L. Felder. 2000. Use of the mitochondrial 16S rRNA gene for phylogenetic and population studies of Crustacea. *Crustacean Issues*. 12: 817-830.
- Shih, H. T., P. K. L. Ng and H. W. Chang. 2004. Systematics of the genus *Geothelphusa* (Crustacea, Decapoda, Brachyura, Potamidae) from southern Taiwan: A molecular appraisal. *Zoological Studies*. 43(3): 561-570.
- Shih, H. T., G. X. Chen and L. M. Wang. 2005. A new species of freshwater crab (Decapoda: Brachyura: Potamidae) from Dongyin Island, Matsu, Taiwan, defined by morphological and molecular characters, with notes on its biogeography. *Journal of Natural History*. 39(31): 2901-2911.
- Shih, H. T., H. C. Hung, C. D. Schubart, C. A. Chen and H. W. Chang. 2006. Intraspecific genetic diversity of the endemic freshwater crab *Candidiopotamon rathbunae* (Decapoda, Brachyura, Potamidae) reflects five million years of the geological history of Taiwan. *Journal of Biogeography*. 33: 980-989.
- Shih, H. T., P. K. L. Ng, C. D. Schubart and H. W. Chang. 2007. Phylogeny and phylogeography of the genus *Geothelphusa* (Crustacea: Decapoda, Brachyura, Potamidae) in southwestern Taiwan based on two mitochondrial genes. *Zoological Science*. 24: 57-66.
- Shy, J. Y. and H. P. Yu. 1992. Complete larval development of the mitten crab *Eriocheir rectus* Stimpson, 1858 (Decapoda, Brachyura, Grapsidae)

- reared in the laboratory. *Crustaceana*. 63: 277-290.
- Simonsen, K. L., G. A. Churchill and C. F. Aquadro. 1995. Properties of statistical test of neutrality for DNA polymorphism data. *Genetics*. 141: 413-429.
- Sun, H. Y., K. Y. Zhou and D. X. Song. 2005. Mitochondrial genome of the Chinese mitten crab *Eriocheir japonica sinensis* (Brachyura: Thoracotremata: Grapsoidea) reveals a novel gene order and two target regions of gene rearrangements. *Gene*. 349: 207-217.
- Tajima, F. 1989. Statistical methods to test for nucleotide mutation hypothesis by DNA polymorphism. *Genetics*. 123: 585-595.
- Tang, B. P., K. Y. Zhou, D. X. Song, G. A. Yang and A. Y. Dai. 2003. Molecular systematics of the Asian mitten crabs, genus *Eriocheir* (Crustacea: Brachyura). *Molecular Phylogenetics and Evolution*. 29(2): 309-316.
- Wallace, A. R. 1998. Island life. Cosimo Classics. New York. 522 pages.
- Wenink, P. W., A. J. Baker and M. G. Taianus. 1993. Hypervariable control region sequence reveal global population structuring in a long-distance migrant shorebirds, the Dunlin (*Calidris alpina*). *Proceedings of National Academic Science*. USA.
- Wright, S. 1931. Evolution in Mendelian populations. *Genetics*. 16: 97-159.
- Wright, S. 1951. The genetical structure of populations. *Annals of Eugenics*. 15: 323-354.
- Wright, S. 1978. Evolution and the genetics of populations. Vol.4. Variability within and among natural population. University of Chicago press, Chicago. 590 pages.
- Yamasaki, I., G. Yoshizaki, M. Yokota, C. A. Strüssmann and S. Watanabe. 2006. Mitochondrial DNA variation and population structure of the Japanese mitten crab *Eriocheir japonica*. *Fisheries Science*. 72: 299-309.

- Yeo, D. C. J., H. T. Shih, R. Meier and P. K. L. Ng. 2007. Phylogeny and biogeography of the freshwater crab genus *Johora* (Crustacea: Brachyura: Potamidae) from the Malay Peninsula, and the origins of its insular fauna. *Zoologica Scripta*. 36(3): 255-269.
- Zaccara S., F. Stefani and G. Crosa. 2005. Diversity of mitochondrial DNA of the endangered white-clawed crayfish (*Austropotamobius italicus*) in the Po River catchment. *Freshwater Biology*. 50: 1262-1272.
- Zhao, J. H., T. J. Lam and J. Y. Guo. 1997. Acute toxicity of ammonia to the early stage-larvae and juveniles of *Eriocheir sinensis* H. Milne-Edwards, 1853 (Decapoda: Grapsidae) reared in the laboratory. *Aquaculture Research*. 28: 517-525.
- Zhao, N., N. Du, X. Bao and L. Zhang. 1988. Artificial breeding, propagation and culture of Chinese mitten crab. *Anhui Science and Technology Press*. 10: 134-136.

