

參考文獻

1. 陳力俊, 謝宗雍, “微電子材料與製程”
2. P. T. Vianco, in: K. J. Puttlitz, K. A. Stalter (Eds.), “Handbook of Lead-free Solder Technology for Microelectronic Assemblies,” Marcel Dekker, Inc., New York, USA, 2004, pp. 167-210.
3. R. Tummala (Ed.), “Fundamentals of Microsystems Packaging,” McGraw-Hill, New York, 2001.
4. K. Gilleo, in: J.S. Hwang (Ed.), “Environment-friendly Electronics: Lead-free Technology,” Electrochemical Publications Ltd., Port Erin, UK, 2001 (Chapter 24).
5. Y. Li and C. P. Wong, “Recent advances of conductive adhesives as a lead-free alternative in electronic packaging: Materials, processing, reliability and applications,” Materials Science and Engineering, R: Reports, Vol. 51, pp. 1-35, 2006.
6. M. J. Yim, J. Hwang and K. W. Paik, “Anisotropic conductive films (ACFs) for ultra-fine pitch Chip-On-Glass(COG) applications,” International Journal of Adhesion & Adhesives Vol. 27, pp. 77-84, 2006.
7. L. Jia, H. Ding, X. Sheng and B. Xie, “Evaluation of A Double-Layer Anisotropic Conductive film (ACF) for Fine Pitch Chip-on-Glass (COG) Interconnection,” Electronic Packaging Technology Conference, pp. 344-347, 2005.
8. M. J. Yim and K. W. Paik, “Recent advances on anisotropic conductive adhesives (ACAs) for flat panel displays and semiconductor packaging applications,” International Journal of

- Adhesion & Adhesives Vol. 27, pp. 304-313, 2006.
9. 張文珊, “驅動IC封裝方式特性比較,” 工研院 IEK-IT IS 計畫, 2006.
 10. 楊景斌, “異方性導電膠膜覆晶結合技術之機械性質與環境可靠度測試,” 碩士論文-國立清華大學動力機械工程研究所, 2005.
 11. P. Savolainen, “Display Driver Packaging : ACF Reaching the Limits ? ” 9th International Symposium on Advanced Packaging Materials: Processes, Properties and Interfaces, pp. 7-10, 2004.
 12. J. Liu and J. E. Morris, in: Proceedings of the American Society of Mechanical Engineers 27th Workshop on Polymeric Materials for Microelectronics and Photonics Applications: Mechanics, Physics, Reliability, Processing, pp.259–281, 1999.
 13. A. Seppälä and E. Ristolainen, “Study of adhesive flip chip bonding process and failure mechanisms of ACA joints,” Microelectronics Reliability, Vol. 44, pp. 639-648, 2004.
 14. M. A. Uddin, M. O. Alam, Y. C. Chan and H. P. Chan, “Adhesion strength and contact resistance of flip chip on flex packages—effect of curing degree of anisotropic conductive film,” Microelectronics Reliability, Vol. 44, pp. 505-514, 2004.
 15. X. Chen, J. Zhang, C. Jiao and Y. Liu, “Effects of different bonding parameters on the electrical performance and peeling strengths of ACF interconnection,” Microelectronics Reliability, Vol. 46, pp. 774-785, 2006.
 16. Y. C. Chan and D. Y. Luk, “Effects of bonding parameters on the reliability performance of anisotropic conductive adhesive interconnects for flip-chip-on-flex packages assembly I. Different bonding temperature,” Microelectronics Reliability, Vol. 42, pp.

- 1185-1194, 2002.
17. J. Liu, "Conductive Adhesives for Electronic Packaging." Isle of Man Electrochemical Publications, 1999.
 18. H. J. Kim, S. M. Hong, S. Y. Jang, Y. J. Moon and K. W. Paik, "Bubbles formation in rigid-flexible substrates bonding using anisotropic conductive films (ACFs) and their effects on ACFs joints reliability," Proceedings of 7th Electronic Packaging Technology Conference, Vol. 2, pp. 734-739, 2005.
 19. H. Kristiansen and J. Liu, "Overview of conductive adhesive interconnection technologies for LCDs," IEEE Transactions on Components, Packaging, and Manufacturing Technology, Part A, Vol. 21, No. 2, pp. 208-214, 1998.
 20. K. W. Lee, H. J. Kim, M. J. Yim and K. W. Paik, "Curing and Bonding Behaviors of Anisotropic Conductive Films (ACFs) by Ultrasonic Vibration for Flip Chip Interconnection," Electronic Components and Technology Conference, pp. 918-923, 2006.
 21. G. J. Nam, M. H. Seo, K. H. Ryu and N. H. Kwak, "A new laser bonding method of anisotropic conductive films in flat panel display and in semiconductor packaging," Proceedings of SPIE, Vol. SPIE-6107, pp. 1-15, 2006.
 22. Y. P. Wu, M. O. Alam, Y. C. Chan and B. Y. Wu, "Dynamic strength of anisotropic conductive joints in flip chip on glass and flip chip on flex packages," Microelectronics Reliability, Vol. 44, pp. 295-302, 2004.
 23. J. H. Zhang, Y. C. Chan, Z. M. Zeng and Y. W. Chiu, "Research on the Interfacial Reaction between Anisotropic Conductive Film and Bumpless Die," Electronic Components and Technology Conference, 2002.

24. Y. C. Chan and D. Y. Luk, "Effects of bonding parameters on the reliability performance of anisotropic conductive adhesive interconnects for flip-chip-on-flex packages assembly II. Different bonding pressure," *Microelectronics Reliability*, Vol. 42, pp. 1195-1204, 2002.
25. X. Chen, J. Zhang, C. Jiao and Y. Liu, "Effects of different bonding parameters on the electrical performance and peeling strengths of ACF interconnection," *Microelectronics Reliability*, Vol. 46, pp. 774-785, 2006.
26. M. J. Yim and K. W. Paik, "The contact resistance and reliability of anisotropically conductive film (ACF)," *IEEE Transactions on Advanced Packaging*, Vol. 22, Issue 2, pp. 166-173, 1999.
27. L. Cao, Z. Lai and J. Liu, "Effect of curing condition of adhesion strength and ACA flip-chip contact resistance," *Proceedings of the 6th IEEE CPMT Conference on High Density Microsystem Design and Packaging and Component Failure Analysis*, pp. 254-258, 2004.
28. 吳丰順, 吳懿平, 鄔博义, 陳力, "倒裝芯片各向異性導電膠互連的剪切結合強度," *半導體學報*, Vol. 25, No. 3, pp. 340-344, 2004.
29. C. M. L. Wu and M. L. Chau, "Degradation of flip-chip-on-glass interconnection with ACF under high humidity and thermal aging," *Soldering & Surface Mount Technology*, Vol. 14, Issue 2, pp. 51-58, 2002.
30. C. W. Tan, Y. C. Chan and N. H. Yeung, "Behaviour of anisotropic conductive joints under mechanical loading," *Microelectronics Reliability*, Vol. 43, pp. 481-486, 2003.
31. 黃建元, "異方性導電膜在覆晶軟膜接合技術之機械性質與可靠度測試之研究," 碩士論文-國立清華大學動力機械工程研究所, 2006.

32. M. J. Yim and K. W. Paik, "Effect of nonconducting filler additions on ACA properties and the reliability of ACA flip-chip on organic substrates," IEEE Transactions on Components and Packaging Technologies, Vol. 24, Issue 1, pp. 24-32, 2001.
33. M. J. Yim, J. S. Hwang, J. G. Kim, H. J. Kim, W. Kwon, K. W. Jang and K. W. Paik, "Anisotropic conductive adhesives with enhanced thermal conductivity for flip chip applications," Proceedings of Electronic Components and Technology Conference, Vol. 1, pp. 159-164, 2004.
34. 張維倫, "異向性導電膠膜與黏晶膠的機械性質與可靠度測試," 碩士論文-國立清華大學動力機械工程研究所, 2004.
35. C. M. L. Wu, N. H. Yeung, M. L. Chau and J. K. L. Lai, "Residual strength of OLB in a TAB assembly with ACF after thermal and mechanical loading." Adhesive Joining and Coating Technology in Electronics Manufacturing, 1998.
36. M. Inoue, T. Miyamoto and K. Suganuma, "Relationship between curing conditions and interconnect properties of flexible printed circuit/glass substrate joints using anisotropic conductive films," Proceeding of the 6th IEEE CPMT Conference on High Density Microsystem Design and Packaging and Component Failure Analysis, pp. 248-253, 2004.
37. J. H. Constable, T. Kache, H. Teichmann, S. Muhle and M. A. Gaynes, "Continuous electrical resistance monitoring, pull strength, and fatigue life of isotropically conductive adhesive joints," IEEE Transactions on Components and Packaging Technologies, Vol. 22, No. 2, pp. 191-199, 1999.
38. R. Gomati, E. Sancaktar, D. Boismier, D. Schue and I. Malik, "Behavior of electronically conductive filled adhesive joints under

- cyclic loading. I. Experimental approach,” International Symposium on Advanced Packaging Materials, pp. 6-12, 2001.
39. M. Teo, S. G. Mhaisalkar, E. H. Wong, P. S. Teo, C. C. Wong, K. Ong and C. F. Goh, “Effects of anisotropic conductive adhesive (ACA) material properties on package reliability performance [flip-chip interconnects],” Electronics Packaging Technology Conference, pp. 718-725, 2003.
40. W. Kwon, H. Kim, K. Paik, S. Jang and S. Hong, “Mechanical reliability and bump degradation of ACF flip chip packages using BCB (CycloteneTM) bumping dielectrics under temperature cycling,” J. Electronic Packaging, Vol. 126, pp. 202-207, 2004.
41. W. Kwon, M. Yim, K. Paik, S. Ham and S. Lee, “Thermal cycling reliability and delamination of anisotropic conductive adhesives flip chip on organic substrates with emphasis on the thermal deformation,” J. Electronic Packaging, Vol. 127, pp. 86-90, 2005.
42. E. Jokinen and E. Ristolainen, “Anisotropic conductive film flip chip joining using thin chips,” Microelectronics Reliability, Vol. 42, pp. 1913-1920, 2002.
43. Nagai, K. Takemura, K. Isaka, O. Watanabe, K. Kojima, K. Matsuda and I. Watanabe, in: Proceedings of the Second IEMT/IMC Symposium, pp. 353-357, 1998.
44. Watanabe, T. Fujinawa, M. Arifuku, M. Fujii and Y. Gotoh, in: Proceedings of 9th IEEE International Symposium on Advanced Packaging Materials: Processes, Properties and Interfaces, pp. 11-16, 2004.
45. C. Lee and A. Yeo, “Resistance characterization of Au bump and anisotropic conductive adhesives under temperature and moisture conditions,” Proceedings of 6th Electronics Packaging Technology

- Conference, pp. 420-425, 2004.
46. L. Frisk and E. Ristolainen, "Flip chip attachment on flexible LCP substrate using an ACF," *Microelectronics Reliability*, Vol. 45, pp. 583-588, 2005.
 47. C. Y. Yin, M. O. Alam, Y. C. Chan, C. Bailey and H. Lu, "The effect of reflow process on the contact resistance and reliability of anisotropic conductive film interconnection for flip chip on flex applications," *Microelectronics Reliability*, Vol. 43, pp. 625-633, 2003.
 48. W. K. Chiang and Y. C. Chan, "Reliability of Anisotropic Conductive Film Joints Using Bumpless Chip—Influence of Reflow Soldering and Environmental Testing," *Journal of Electronic Packaging*, Vol. 127, Issue 2, pp. 113-119, 2005.
 49. J. H. Zhang, Y. C. Chan, M. O. Alam and S. Fu, "Contact resistance and adhesion performance of ACF interconnections to aluminum metallization," *Microelectronics Reliability*, Vol. 43 pp. 1303-1310, 2003.
 50. C. W. Tan, Y. W. Chiu and Y. C. Chan, "Corrosion study of anisotropic conductive joints on polyimide flexible circuits," *Materials Science and Engineering: B*, Vol. 98, pp. 255-264, 2003.
 51. J. Liu, "On the failure mechanism of anisotropically conductive adhesive joints on copper metallization," *International Journal of Adhesion & Adhesives* Vol. 16, Issue 4, pp. 285-287, 1996.
 52. L. L. Mercado, J. White, V. Sarihan and T. Y. T. Lee, "Failure mechanism study of anisotropic conductive film (ACF) packages," *IEEE Transactions on Components and Packaging Technologies*, Vol. 26, Issue 3, pp. 509-516, 2003.
 53. L. K. Teh, M. Teo, E. Anto, C. C. Wong, S. G. Mhaisalkar, P. S. Teo and E. H. Wong, "Moisture-induced failures of adhesive flip chip

- interconnects,” IEEE Transactions on Components and Packaging Technologies, Vol. 28, Issue 3, pp. 506-516, 2005.
54. Y. C. Lin, X. Chen, H. J. Zhang and Z. P. Wang, “Effects of hygrothermal aging on epoxy-based anisotropic conductive film,” Materials Letters, Vol. 20, Issue 24, pp.2958-2963, 2006.
55. JEDEC STANDARD - Temperature Humidity Bias Lifetest - JESD22-A101-B.
56. JEDEC STANDARD-Temperature Cycling-JESD22-A104-B.

