

5. References

- Akerman CJ, Smyth D, Thompson ID (2002) Visual experience before eye-opening and the development of the retinogeniculate pathway. *Neuron* 36:869-879.
- Ames A, 3rd, Nesbett FB (1981) In vitro retina as an experimental model of the central nervous system. *J Neurochem* 37:867-877.
- Amthor FR, Oyster CW (1995) Spatial organization of retinal information about the direction of image motion. *Proc Natl Acad Sci U S A* 92:4002-4005.
- Amthor FR, Takahashi ES, Oyster CW (1989) Morphologies of rabbit retinal ganglion cells with complex receptive fields. *J Comp Neurol* 280:97-121.
- Barlow HB, Hill RM (1963) Selective sensitivity to direction of movement in ganglion cells of the rabbit retina. *Science* 139:412-414.
- Barlow HB, Levick WR (1965) The mechanism of directionally selective units in rabbit's retina. *J Physiol* 178:477-504.
- Bowe-Anders C, Miller RF, Dacheux R (1975) Developmental characteristics of receptive organization in the isolated retina-eyecup of the rabbit. *Brain Res* 87:61-65.
- Chiao CC, Masland RH (2002) Starburst cells nondirectionally facilitate the responses of direction-selective retinal ganglion cells. *J Neurosci* 22:10509-10513.
- Chiao CC, Masland RH (2003) Contextual tuning of direction-selective retinal ganglion cells. *Nat Neurosci* 6:1251-1252.
- Chow KL, Riesen AH, Newell FW (1957) Degeneration of retinal ganglion cells in infant chimpanzees reared in darkness. *J Comp Neurol* 107:27-42.
- Crook DK, Pow DV (1997) Analysis of the distribution of glycine and GABA in amacrine cells of the developing rabbit retina: a comparison with the ontogeny of a functional GABA transport system in retinal neurons. *Vis Neurosci* 14:751-763.
- Cynader M, Mitchell DE (1980) Prolonged sensitivity to monocular deprivation in dark-reared cats. *J Neurophysiol* 43:1026-1040.
- DeBoer DJ, Vaney DI (2005) Gap-junction communication between subtypes of direction-selective ganglion cells in the developing retina. *J Comp Neurol* 482:85-93.
- Fisher LJ (1979) Development of retinal synaptic arrays in the inner plexiform layer of dark-reared mice. *J Embryol Exp Morphol* 54:219-227.
- Fox K, Daw N, Sato H, Czepita D (1991) Dark-rearing delays the loss of NMDA-receptor function in kitten visual cortex. *Nature* 350:342-344.
- Fried SI, Munch TA, Werblin FS (2002) Mechanisms and circuitry underlying

- directional selectivity in the retina. *Nature* 420:411-414.
- Fried SI, Munch TA, Werblin FS (2005) Directional selectivity is formed at multiple levels by laterally offset inhibition in the rabbit retina. *Neuron* 46:117-127.
- Fujikado T, Hosohata J, Omoto T (1996) ERG of form deprivation myopia and drug induced ametropia in chicks. *Curr Eye Res* 15:79-86.
- Gordon JA, Stryker MP (1996) Experience-dependent plasticity of binocular responses in the primary visual cortex of the mouse. *J Neurosci* 16:3274-3286.
- Gorfinkel J, Lachapelle P, Molotchnikoff S (1988) Maturation of the electroretinogram of the neonatal rabbit. *Doc Ophthalmol* 69:237-245.
- Guenther E, Schmid S, Wheeler-Schilling T, Albach G, Grunder T, Fauser S, Kohler K (2004) Developmental plasticity of NMDA receptor function in the retina and the influence of light. *Faseb J* 18:1433-1435.
- Hu M, Bruun A, Ehinger B (1998) The expression of GABA(A) receptors during the development of the rabbit retina. *Acta Ophthalmol Scand* 76:515-520.
- Hu M, Bruun A, Ehinger B (1999) Expression of GABA transporter subtypes (GAT1, GAT3) in the developing rabbit retina. *Acta Ophthalmol Scand* 77:261-265.
- Kirkwood A, Rioult MC, Bear MF (1996) Experience-dependent modification of synaptic plasticity in visual cortex. *Nature* 381:526-528.
- Lau KC, So KF, Tay D (1990) Effects of visual or light deprivation on the morphology, and the elimination of the transient features during development, of type I retinal ganglion cells in hamsters. *J Comp Neurol* 300:583-592.
- Levick WR (1972) Another tungsten microelectrode. *Med Biol Eng* 10:510-515.
- Li Y, Fitzpatrick D, White LE (2006) The development of direction selectivity in ferret visual cortex requires early visual experience. *Nat Neurosci* 9:676-681.
- Masland RH (1977) Maturation of function in the developing rabbit retina. *J Comp Neurol* 175:275-286.
- Nelson R, Famiglietti EV, Jr., Kolb H (1978) Intracellular staining reveals different levels of stratification for on- and off-center ganglion cells in cat retina. *J Neurophysiol* 41:472-483.
- Oesch N, Euler T, Taylor WR (2005) Direction-selective dendritic action potentials in rabbit retina. *Neuron* 47:739-750.
- Reuter JH (1976) The development of the electroretinogram in normal and light-deprived rabbits. *Pflugers Arch* 363:7-13.
- Sernagor E, Grzywacz NM (1996) Influence of spontaneous activity and visual experience on developing retinal receptive fields. *Curr Biol* 6:1503-1508.
- Sosula L, Glow PH (1971) Increase in number of synapses in the inner plexiform layer of light deprived rat retinae: quantitative electron microscopy. *J Comp Neurol* 141:427-451.

- Stasheff SF, Masland RH (2002) Functional inhibition in direction-selective retinal ganglion cells: spatiotemporal extent and intralaminar interactions. *J Neurophysiol* 88:1026-1039.
- Taylor WR, Vaney DI (2002) Diverse synaptic mechanisms generate direction selectivity in the rabbit retina. *J Neurosci* 22:7712-7720.
- Tian N, Copenhagen DR (2001) Visual deprivation alters development of synaptic function in inner retina after eye opening. *Neuron* 32:439-449.
- Tian N, Copenhagen DR (2003) Visual stimulation is required for refinement of ON and OFF pathways in postnatal retina. *Neuron* 39:85-96.
- Vaney DI (1994) Territorial organization of direction-selective ganglion cells in rabbit retina. *J Neurosci* 14:6301-6316.
- Vistamehr S, Tian N (2004) Light deprivation suppresses the light response of inner retina in both young and adult mouse. *Vis Neurosci* 21:23-37.
- Werblin FS (1972) Lateral interactions at inner plexiform layer of vertebrate retina: antagonistic responses to change. *Science* 175:1008-1010.
- Wingate RJ, Thompson ID (1994) Targeting and activity-related dendritic modification in mammalian retinal ganglion cells. *J Neurosci* 14:6621-6637.
- Wong RO (1990) Differential growth and remodelling of ganglion cell dendrites in the postnatal rabbit retina. *J Comp Neurol* 294:109-132.
- Wyatt HJ, Daw NW (1975) Directionally sensitive ganglion cells in the rabbit retina: specificity for stimulus direction, size, and speed. *J Neurophysiol* 38:613-626.
- Xue J, Cooper NG (2001) The modification of NMDA receptors by visual experience in the rat retina is age dependent. *Brain Res Mol Brain Res* 91:196-203.
- Xue J, Li G, Laabich A, Cooper NG (2001) Visual-mediated regulation of retinal CaMKII and its GluR1 substrate is age-dependent. *Brain Res Mol Brain Res* 93:95-104.
- Yang G, Masland RH (1992) Direct visualization of the dendritic and receptive fields of directionally selective retinal ganglion cells. *Science* 258:1949-1952.
- Yang G, Masland RH (1994) Receptive fields and dendritic structure of directionally selective retinal ganglion cells. *J Neurosci* 14:5267-5280.
- Zhang J, Yang Z, Wu SM (2005) Development of cholinergic amacrine cells is visual activity-dependent in the postnatal mouse retina. *J Comp Neurol* 484:331-343.