

## 參考文獻

- [1] Butler, N. A. (2001). “Optimal and orthogonal Latin hypercube designs for computer experiments,” *Biometrika*, **88**, 847-857.
- [2] Fang, K. T., Lin, D. K. J., Winker, P. and Zhang, Y. (2000). “Uniform design: theory and application,” *Technometrics*, **42**, 237-248.
- [3] Fang, K. T. and Wang, Y. (1994). *Number-theoretic Methods in Statistics*, Chapman & Hall, London.
- [4] Hickernell, F. J. (1998). “A Generalized Discrepancy and Quadrature Error Bound,” *Mathematics of Computation*, **67**, 299-322.
- [5] Montgomery, D. C., (2005). *Design and analysis of experiments(6th ed.)*, New York: John Wiley & Sons.
- [6] McKay, M., Beckman, R., and Conover, W. (1979). “A comparison of three methods for selecting values of input variables in the analysis of output from a computer code,” *Technometrics*, **21**, 239-246.
- [7] Morris, M., and Mitchell, T. (1995). “Exploratory design for computer experiments ,” *Journal of Statistical Planning and Inference*, **43**, 381-402.

- [8] Owen, A. B. (1992). "Orthogonal arrays for computer experiments, integration, and visualization," *Statistica Sinica*, **2**, 439-452.
- [9] Owen, A. B. (1994). "Controlling correlations in Latin hypercube samples," *Journal of the American Statistical Association*, **89**, 1517-1522.
- [10] Park, J. S. (1994). "Optimal Latin-hypercubes designs for computer experiments," *Journal of Statistical Planning and Inference*, **39**, 95-111.
- [11] Steinberg, D. M. and Lin, D. K. J (2006). "A construction method for orthogonal Latin hypercube designs," *Biometrika*, **93(2)**, 279-288.
- [12] Sacks, J., Schiller, S. B. and Welch, W. J. (1989). " Designs for computer experiments," *Technometrics*, **31**, 41-47.
- [13] Tang, B. (1993). "Orthogonal array-based Latin hypercubes," *Journal of the American Statistical Association*, **88**, 1392-1397.
- [14] Tang, B. (1998). "Selecting Latin hypercubes using correlation criteria," *Statistica Sinica*, **8**, 965-77.
- [15] Wu, C. F. J. and Hamada, M. (2000). *Experiments: Planning, Analysis, and Parameter Design Optimization*, New York: John Wiley & Sons.
- [16] Ye, K. Q. (1998). "Orthogonal column Latin hypercubes and their application in computer experiments," *Journal of the American Statistical Association*, **93**, 1430-1439.