

Index

Abstract	i
Index	iii
List of figures	iv
List of tables	v
Acknowledgement	vi
1. Introduction	1
1.1 System overview	1
1.2 Thesis organization	2
2. Previous work	3
3. Proposed method	5
3.1 Fundamental algorithm	5
3.1.1 Feature extraction – MFCC	5
3.1.2 Building acoustic model – HMM	6
3.1.3 Searching the most-likely path – Viterbi algorithm	7
3.2 Implementation on embedded system	10
3.2.1 MFCC	11
3.2.2 HMM	17
3.2.3 Token-passing algorithm	18
4. Experimental results	21
4.1 Accuracy	21
4.2 Recognition rate	23
4.3 Speed	24
4.4 Parameter estimation	25
5. Conclusion and future work	26
References	27

List of figures

Fig. 1 Flowchart of speech recognition (including training and recognition phases)....	1
Fig. 2 Each step to calculate MFCC	6
Fig. 3 Simple left-right HMM.....	7
Fig. 4 Viterbi decoding	8
Fig. 5 Each step to do Viterbi decoding	8
Fig. 6 Token-passing algorithm	10
Fig. 7 Adjustment of training process	17
Fig. 8 The linear and log curve.	22
Fig. 9 The influence of pruning beam-width	25



List of tables

Table 1: iPAQ H4150 specifications	10
Table 2: Feature verification dataset	11
Table 3: Feature verification result	16
Table 4: Statistic of model content.....	18
Table 5: HTK parameters.....	18
Table 6: Statistic of errors	21
Table 7: Experimental dataset	23
Table 8: Comparison of recognition rate	23
Table 9: Speed test	24
Table 10: The influence of pruning beam-width.....	25

