

## 參考文獻

1. 邱碧秀, “微系統封裝原理與技術”, 滄海書局, 2005
2. K. Motoki, M. Oyama, T. Imai, T. Ishii, M. Kimata, H. Horita, N. Sasaki, I. Kobayashi, T. Yokoyama, A. Ono, S. Kodate, S. Suzuki, Y. Ono, M. Kurosawa, K. Yoshinuma and H. Goto, “Connecting technology of anisotropic conductive materials,” Fujikura Technical Review, No.31, pp.26-35, 2002
3. 李巡天, 李宗銘, “異方性導電膠材料技術及其在覆晶構裝上的技術探討,” 工業材料, Vol.175, pp.139-147, 2001
4. 李巡天, 黃淑禎, 陳凱琪, 田運宜, “覆晶構裝用異方性導電膠膜材料技術與發展趨勢,” 工業材料, Vol.187, pp.104-111, 2002
5. “高密度驅動 IC 構裝內部聯通導電材料技術發展”, 工業材料, Vol.226, pp.96-104, 2005
6. R.A. Islam and Y.C. Chan, “Effect of microwave preheating on the bonding performance of flip chip on flex joint,” Microelectronics Reliability, Vol.44, pp.815-821, 2004
7. Y. Seki, K. Imanishi and T. Ohminato, “Flip chip on FPC,” Fujikura Technical Review, pp.18-21, 2002
8. 金進興, 石素珠, “COF 構裝基板材料技術,” 工業材料, Vol.187, pp.92, 2002
9. 金進興, 石素珠, “COF 基板材料製造技術”, 工業材料, Vol.200, pp.169, 2003
10. 陸蘇財, 黃元璋, “高密度 COF 接合技術”, 工業材料, Vol.200, pp.151-156, 2003

11. X. Liu, S. Xu, G.Q. Lu and D.A. Dillard, "Effect of substrate flexibility on solder joint reliability," *Microelectronics Reliability*, Vol.42, pp.1883-1891, 2002
12. M.J. Yim and K.W. Paik, "Recent advances on anisotropic conductive adhesives (ACAs) for flat panel displays and semiconductor packaging applications," *Int. J. Adhesion and Adhesives*, Vol.26, pp.304-313, 2006
13. 馮克林, "封裝元件可靠度加速測試集失效評估", *工業材料*, Vol.158, pp.92-98, 2000
14. W. Kwon, H. Kim, K. Paik, S. Jang and S. Hong, "Mechanical reliability and bump degradation of ACF flip chip packages using BCB (Cyclotene<sup>TM</sup>) bumping dielectrics under temperature cycling," *J. Electronic Packaging*, Vol.126, pp.202-207, 2004
15. S.H. Su, K. Zhao, S.W. Ma and J.H. Zhang, "Simulation study of bump metallization on the stress and strain distributions of ACF interconnections for flip-chip-on-flex (COF) applications," *6th International Conference on Electronic Packaging Technology*, 2005
16. W. Kwon, M. Yim, K. Paik, S. Ham and S. Lee, "Thermal cycling reliability and delamination of anisotropic conductive adhesives flip chip on organic substrates with emphasis on the thermal deformation," *J. Electronic Packaging*, Vol.127, pp.86-90, 2005
17. M.A. Uddin, M.O. Alam, Y.C. Chan and H.P. Chan, "Adhesion strength and contact resistance of flip chip on flex packages-effect of curing degree of anisotropic conductive film," *Microelectronics Reliability*, Vol.44, pp.505-514, 2004

18. L. Cao, Z. Lai and J. Liu, "Interfacial adhesion of anisotropic conductive adhesives on polyimide substrate," J. Electronic Packaging, Vol.127, pp.43-46, 2005
19. 吳丰順, 吳懿平, 鄔博义, 陳力, "倒裝芯片各向異性導電膠互連的剪切結合強度", 半導體學報, Vol.25, No.3, pp.340-344, 2004
20. Y.P. Wu, M.O. Alam, Y.C. Chan and B.Y. Wu, "Dynamic strength of anisotropic conductive joints in flip chip on glass and flip chip on flex packages," Microelectronics Reliability, Vol.44, pp.295-302, 2004
21. C.M.L. Wu and M.L. Chau, "Degradation of flip-chip-on-glass interconnection with ACF under high humidity and thermal aging," Soldering and Surface Mount Technology, Vol.14, No.2, pp.51-58, 2002
22. S. Gupta, R.M. Hydro and R.A. Pearson, "Fracture behaviour of isotropically conductive adhesives," IEEE Trans Components Packaging Technol, Vol.22, No.2, pp.209-214, 1999
23. C.W. Tan, Y.C. Chan and N.H. Yeung, "Behaviour of anisotropic conductive joints under mechanical loading," Microelectronics Reliability, Vol.43, pp.481-486, 2003
24. J.H. Zhang, Y.C. Chan, M.O. Alam and S. Fu, "Contact resistance and adhesion performance of ACF interconnections to aluminum metallization," Microelectronics Reliability, Vol.43, pp.1303-1310, 2003
25. M.J. Rizvi, Y.C. Chan, C. Bailey and H. Lu, "Study of anisotropic conductive adhesive joint behavior under 3-point bending," Microelectronics Reliability, Vol.45, pp.589-596, 2005

26. P. Palm, J. Määttänen, A. Tuominen and E. Ristolainen, "Reliability of 80µm pitch flip chip attachment on flex," Microelectronics Reliability, Vol.41, pp.633-638, 2001
27. J. Zhang and Y.C. Chan, "Effects of contact metallizations on electrical resistance reliability of ACF interconnection for flip-chip on flex application," Proceeding of the 6th IEEE CPMT Conference, HDP 2004
28. J.F.J.M. Caers, J.W.C. de Vries, X.J. Zhao and E.H. Wong, "Some characteristics of anisotropic conductive and non-conductive adhesive flip chip on flex interconnections," Journal of Semiconductor Technology and Science, Vol.3, No.3, September, pp.122-131, 2003
29. J. Liu, "On the failure mechanism of anisotropically conductive joints on copper metallization," Int. J. Adhesion and Adhesives, Vol.16, No.4, pp.285-287, 1996
30. S.M. Chang, J.H. Jou, A. Hsieh, T.H. Chen, C.Y. Chang, Y.H. Wang and C.M. Huang, "Characteristic study of anisotropic-conductive film for chip-on film packaging," Microelectronics Reliability, Vol.41, pp.2001-2009, 2001
31. J.(Hans) de Vries, "Failure mechanism of anisotropic conductive adhesive interconnections in flip chip ICs on flexible substrates," IEEE Transactions on components and packaging technologies, Vol.27, No.1, pp.161-166, 2004
32. A. Seppälä and E. Ristolainen, "Study of adhesive flip chip bonding process and failure mechanisms of ACA joints," Microelectronics Reliability, Vol.44, pp.639-648, 2004
33. Sony Chemicals Corp. "ACF for Chip on Flex FP16613", Revised Edition, 2001

34. JEITIA Test Method C-132 High Temperature High Humidity Test
35. JEDEC Standard No.22-A104C Temperature Cycling
36. IPC-TM-650 Test Methods Manual No.2.4.42.2 Die Shear Strength
37. MIL-STD-883E Method 2019.5 Die shear strength
38. JEITIA Test Method C-121 Shear Strength Test
39. 葉銘泉,楊景斌,陳凱琪,“異方性導電膠膜覆晶結合之機械性質與環境可靠度測試”,第29屆全國力學會議,2005
40. R.J. Young and P.A. Lovell, “Introduction to Polymers”, Chapman & Hall, second edition, 1991
41. I.M. Ward, “Mechanical Properties of Solid Polymers”, John Wiley & Sons, second edition, 1983

