

## 參考文獻

1. <http://www.asiateck.com.tw/index.htm> 亞特必股份有限公司。
2. H. S. Katz and J. V. Milewski., “Handbook of fillers for plastics,” New York:/Van Nostrand Reinhold Co., (1987).
3. W. Tang, M. H. Santare and S. G. Advani, “Melt processing and mechanical property characterization of multi-walled carbon nanotube/ high density polyethylene (MWNT/HDPE) composite films,” Carbon 41 (2003) 2779–2785.
4. A. Allaoui, S. Bai, H. M. Cheng and J. B. Bai, “Mechanical and electrical properties of a MWNT/epoxy composite,” Composites Science and Technology 62 (2002) 1993–1998.
5. M. Cadek, B. L. Foulgo, J. N. Coleman, V. Barron, J. Sandler, M.S. P. Shaffer, A. Fonseca, M. V. Es, K. Schulte and W. J. Blau, “Structural and Electronic Properties of Molecular Nanostructures,” AIP Conference Proceedings 633 (2002) 562-565.
6. D. S. Lim, J. W. An and H. J. Lee, “Effect of carbon nanotube addition on the tribological behavior of carbon/carbon composites,” Wear 252 (2002) 512–517.
7. N. P. Valentin, “Carbon nanotubes: properties and application,” Materials Science and Engineering R 43 (2004) 61–102.
8. H. W. Kroto, J. R. Heath, S. C. O’Brien, R. F. Curl and R. E. Smalley, Nature (1985), 318,162.
9. <http://nano.nchc.org.tw/dictionary/c60.html> 奈米科學網
10. S. Iijima, “Helical microtubules of graphitic carbon,” Nature (1991), p.354-356.
11. T. W. Odom, J. L. Huang, P. Kim and C.M. Lieber, “Structure and Electronic Properties of Carbon Nanotubes,” J. Phys. Chem. (2000),

2794-2809.

12. A. Hirsch, "Chemistry of Single-wall Carbon Nanotubes," *Angew. Chem. Int. Ed.* 41 (2002), S. 1853.
13. E. Dujardin, T. W. Ebbesen, A. Krishnan, P. N. Yianilos and M. M. J. Treacy, *Phys. Rev. B* (1998), 58, 14013.
14. M. M. J. Treacy, T. W. Ebbesen and T. M. Gibson, "Exceptionally High young's modulus observed for individual carbon nanotubes," *Nature* (1996), 381, 678–680.
15. E. W. Wong, P. E. Sheehan and C. M. Lieber, "Nanobeam mechanics: elasticity, strength, and toughness of nanorods and nanotubes," *Science* 1997, 277(5334), 1971–5.
16. D. A. Walters, L. M. Ericson, M. J. Casavant, J. Liu, D. T. Colbert and K. A. Smith, "Elastic strain of freely suspended single-wall carbon nanotube ropes," *Applied Physics Letters* (1999), 74(25), 3803–3805.
17. S. Iijima and T. Ichihashi, "Single-shell carbon nanotubes of 1-nm diameter," *Nature* (1993), 363, 603–605.
18. D. S. Bethune, C. H. Kiang, M. S. Devries, G. Gorman, R. Savoy and J. Vazquez, "Cobalt-catalyzed growth of carbon nanotubes with single-atomic-layer walls," *Nature* (1993), 363, 605–607.
19. C. Journet, W. K. Maser, P. Bernier, A. Loiseau, M. L. Chapelle and S. Lefrant, "Large-scale production of single-walled carbon nanotubes by the electric-arc technique," *Nature* (1997), 388, 756–758.
20. A. G. Rinzler, J. Liu, H. Dai, P. Nikolaev, C. B. Human and F. J. R. Macias, "Large-scale purification of single-wall carbon nanotubes: Process, product and characterization," *Applied Physics A* (1998), 67(1), 29–37.
21. P. Nikolaev, M. J. Bronikowski, R. K. Bradley, F. Fohmund, D. T. Colbert and K. A. Smith, "Gas-phase catalytic growth of

- single-walled carbon nanotubes from carbon monoxide,” *Chemical Physics Letters* (1999), 313(1-2), 91–97.
22. Z. F. Ren, Z. P. Huang, J. W. Xu., D. Z. Wang, J. G. Wen and J. H. Wang, “Growth of a single freestanding multiwall carbon nanotube on each nanonickel dot,” *Applied Physics Letters* (1999), 75(8), 1086–1088.
23. Z. F. Ren, Z. P. Huang, J. W. Xu, J. H. Wang, P. Bush and M. P. Siegal, “Synthesis of large arrays of well-aligned carbon nanotubes on glass,” *Science* (1998), 282, 1105–1107.
24. M. Cochet, W. K. Maser, A. M. Benito, M. A. Callejas, M. T. Martinez and J. M. Benoit, “Synthesis of a new polyaniline/nanotube composite: “in-situ” polymerization and charge transfer through siteselective interaction,” *Chem. Comm.* (2001), 16, 1450–1451.
25. S. Kumar, H. Doshi, M. Srinivasarao, J. O. Park and D. A. Schiraldi, “Fibers from polypropylene/nano carbon fiber composites,” *Polymer* (2002), 43, 1701–1703.
26. D. Qian, E. C. Dickey, R. Andrews and T. Rantell, “Load transfer and deformation mechanisms in carbon nanotube-polystyrene composites,” *Applied Physics Letters* (2000), 76(20), 2868–2870.
27. A. Peigney, E. Flahaut, C. H. Laurent, F. Chastel and A. Rousset, “Aligned carbon nanotubes in ceramic-matrix nanocomposites prepared by high-temperature extrusion,” *Chemical Physics Letters* (2002), 352, 20–25.
28. H. D. Wagner, O. Lourie, Y. Feldman and R. Tenne, “Stress-induced fragmentation of multiwall carbon nanotubes in a polymer matrix,” *Applied Physics Letters* (1998), 72(2), 188–190.
29. O. Lourie and H. D. Wagner, “Evidence of stress transfer and formation of fracture clusters in carbon nanotube-based composites,” *Composites Science and Technology* (1999), 59(6), 975–977.

30. S.L. Ruan, P. Gao, X.G. Yang, T.X. Yu, "Toughening high performance ultrahigh molecular weight polyethylene using multiwalled carbon nanotubes," *Polymer* (2003);44(19):5643–54.
31. J. M. Park, D. S. Kim, J. R. Lee and T. W. Kim, "Nondestructive damage sensitivity and reinforcing effect of carbon nanotube/epoxy composites using electro-micromechanical technique," *Materials Science and Engineering C* 23 (2003) 971–975.
32. J. M. Park, J. W. Kim and D. J. Yoon, *J. Colloid Interface Science* 247 (2002) 231.
33. R. Andrews, M.C. Weisenberger, "Carbon nanotube polymer composites," *Current Opinion in Solid State and Materials Science* 8 (2004) 31–37.
34. K-T. Lau, D. Hui, "The revolutionary creation of new advanced materials–carbon nanotube composites," *Composites Part B* (2002);33:263–77.
35. Y. Ren, F. Li, H-M Cheng, K. Liao, "Tension–tension fatigue behavior of unidirectional single-walled carbon nanotube reinforced-epoxy composite," *Carbon* (2003);41:2159–79.
36. J. K. Gillham, *Polymer Eng. Sci.*, 7, 225 (1967).
37. W. Wrasidlo, *J. Polymer Sci.*, A2, 9, 1603 (1971).
38. H. O. Fuch and R. I. Stephens, "Metal Fatigue in Engineering," John Willy and Sons, New York, (1980).
39. D. S. Saunders and G. Clark, "Fatigue Damage in Composite Laminates," *Materials Forum*, Vol.17, (1993), pp.309-331.
40. R. D. Jamison, K. Schulte, K. L. Reifsnider and W. W. Stinchcomb, "Characterization and Analysis of Damage Mechanisms in Tension-Tension Fatigue of Graphite/Epoxy Laminates," *Effects of Defects in Composite Materials*, ASTM STP 836, American Society for Testing and Materials, (1984), pp.21-55.

41. K. L. Reifsnider, E. G. Henneke, W. W. Stinchcomb and J. C. Duke, "Damage Mechanics and NDE of Composite Laminates," *Mechanics of Composite Materials, Recent Advance*, Z. Hashin and C. T. Herakovich, eds., Pergamon Press, New York, (1983), pp.399-420.
42. W. Hwnag and K. S. Han, "Fatigue of Composites Fatigue Modulus Concept and Life Prediction," *Journal of Composite Materials*, Vol. 20, (1986), pp.154-165.
43. R. J. W. Donald and M. Michel, "Electromagnetic Shielding," A handbook series on electromagnetic interference and compatibility, Vol. 3, chapter 2, 6 and 7, (1988).
44. R. P. Clayton, "Introduction to Electromagnetic Compatibility," Wiley series in Microwave and Optical Engineering, pp632-648,(1992).
45. K. C. David, "Field and Wave Electromagnetic," Reading , Mass.Addison Wesley, pp198-219, (1989).
46. "Test Methods for dc resistance or conductance of insulating materials," ASTM D257 (1999).
47. ASTM Standard, ASTM designation: D570-98, "Standard Test Method for Water Absorption of Plastics," (1998).
48. "Standard Test Method for Tensile Properties of Polymer Matrix Composite Materials," ASTM D3039-95a, (1998), pp.99-109.
49. "Standard Test Method for Tension-Tension Fatigue of Polymer Matrix Composites," ASTM D3479-96, (1998), pp133-138.
50. M. R. VanLandingham, R. F. Eduljee and J. W. Gillespie, "Moisture Diffusion in Epoxy System," Center for Composite Materials and Materials Science Program.
51. L. Nicholais and A. T. DiBenedetto, *J. Appl. Polymer Sci.*, 15, 1585 (1971).
52. A. N. Gent, *J. Polymer Sci.*, A2, 10, 571 (1972).

53. Y. Fukui, T. Sato, M. Ushirokawa, T. Asada, and S. Onogi, *J. Polymer Sci.*, A2, 8, 1195 (1970).
54. J. K. Gillham, *Polymer Eng. Sci.*, 7, 225 (1967).
55. W. J. Wrasidlo, *Polymer Sci.*, A2, 9, 1603 (1971).
56. A. S. Kenyon and L. E. Nielsen, *J. Macromol. Sci.*, A3, 275 (1969).
57. R. E. Cuthrell, *J. Appl. Polymer Sci.*, 11, 949 (1967).
58. F.H. Gojny, M.H.G. Wichmann, U. Köpke, B. Fiedler, K. Schulte, "Carbon nanotube-reinforced epoxy-composites: enhanced stiffness and fracture toughness at low nanotube content," *Composites Science and Technology* 64 (2004) 2363–2371.
59. Y. Breton, G. Desarmot, J.P. Salvetat, S. Delpeux, C. Sinturel, F. Beguin, "Mechanical properties of multiwall carbon nanotubes/epoxy composites: influence of network morphology," *Carbon* 42 (2004) 1027–1030.
60. N-H Tai, M-K Yeh, J-H Liu, "Enhancement of the mechanical properties of carbon nanotube/phenolic composites using a carbon nanotube network as the reinforcement," *Letters to the Editor / Carbon* 42 (2004) 2735–2777.
61. W. D. Bascom and J. B. Romans, *Ind. Eng. Chem. (Prod. Res. Devel.)*, 7, 172 (1968).
62. 胡德, 國立編譯館主編, "高分子物理與機械性質(下)," 渤海堂文化公司印行, 國立清華大學, (1990)。
63. J. Cook and J. E. Gordon, *Proc. Royal Soc.*, A282, 508 (1964).
64. 村上新一, 洪純仁 譯, "酚醛樹脂," 復文出版社, 台灣台北, (1981)。
65. P. H. Geil, "Polymer Single Crystals," Interscience, New York, 1963.
66. K-T Lau, S-Q Shi, H-M Cheng, "Micro-mechanical properties and morphological observation on fracture surfaces of carbon nanotube

- composites pre-treated at different temperatures,” *Composites Science and Technology* 63 (2003) 1161–1164.
67. A. S. Kenyon and L. E. Nielsen, *J. Macromol. Sci.*, A3, 275 (1969).
68. Y. Diamant, S. Welner, and D. Katz, *Polymer*, 11, 498 (1970).
69. 劉家豪, “碩士論文 多壁奈米碳管/酚醛樹脂複合材料之機械性質研究,” 國立清華大學, (2003)。
70. R. B. Pipes, P. Hubert, “Helical carbon nanotube arrays: thermal expansion,” *Composites Science and Technology* 63 (2003) 1571–1579.
71. R.S. Ruoff, D.C. Lorent, “Mechanical and thermal-properties of carbon nanotube,” *Carbon* 1995;33(7):925-30.
72. 勞工安全衛生簡訊第 70 期-複合材料之應用簡介 勞工安全組 沈育霖副研究員。
73. M. Olaf, K. Dirk, W. Hans, F. Christian, V. Marc, W. Holger, “Mechanical properties and electrical conductivity of carbon-nanotube filled polyamide-6 and its blends with acrylonitrile/butadiene/styrene,” *Polymer* 45 (2004) 739–748.